
HAIRDRESSERS & BEAUTY SALONS

Local Government (General) Regulation 2005

Schedule 2: Part 2 – Standards for Hairdressers Shops

Structural requirements

- (1) The premises must be structurally suitable for the carrying out of hairdressing.
- (2) Without limiting the generality of subclause (1), premises are structurally unsuitable for the carrying out of hairdressing if any wash basin is situated against any wall and that wall (from floor level to a height of 450mm above the top of the wash basin and from the centre of the wash basin to a distance of 150mm beyond each side of the wash basin) is not constructed of, or covered with, material that is durable, smooth, impervious to moisture and capable of being easily cleaned.



Hygiene

- (1) The premises must be clean and in good repair.
- (2) The premises must be provided with facilities that are adequate for the purpose of keeping hairdressing appliances and utensils clean.

Hairdressing facilities

- (1) The premises must be provided with washing, drainage, ventilation and lighting facilities that are adequate for the carrying out of hairdressing.
 - (2) The premises must be provided with facilities that are adequate for the purpose of storing hairdressing appliances and utensils in a hygienic manner.
- (3) The premises must be provided with floor coverings, shelves, fittings and furniture that are suitable for the carrying out of hairdressing.
 - (4) Without limiting the generality of subclauses (1) and (3):
 - (a) premises are not provided with washing facilities that are adequate for the carrying out of hairdressing unless those facilities include wash basins fitted with common spouts for the supply of hot and cold running water, and
 - (b) shelves, fittings and furniture are unsuitable for the carrying out of hairdressing unless they are constructed of, or covered with, material that is durable, smooth, impervious to moisture and capable of being easily cleaned.

Schedule 2: Part 3 – Standards for Beauty Salons

Structural requirements

- (1) The premises must be structurally suitable for the provision of beauty treatment.
- (2) Without limiting the generality of subclause (1), premises are structurally unsuitable for the provision of beauty treatment if any wash basin is situated against any wall and that wall (from floor level to a height of

450mm above the top of the wash basin and from the centre of the wash basin to a distance of 150mm beyond each side of the wash basin) is not constructed of, or covered with, material that is durable, smooth, impervious to moisture and capable of being easily cleaned.

Hygiene

- (1) The premises must be clean and in good repair.
- (2) The premises must be provided with facilities that are adequate for the purpose of keeping beauty treatment appliances and utensils clean.

Beauty facilities

- (1) The premises must be provided with washing, drainage, ventilation and lighting facilities that are adequate for the provision of beauty treatment.
- (2) The premises must be provided with facilities that are adequate for the purpose of storing beauty treatment appliances and utensils in a hygienic manner.
- (3) The premises must be provided with floor coverings, shelves, fittings and furniture that are suitable for the provision of beauty treatment.
- (4) Without limiting the generality of subclauses (1) and (3):
 - (a) premises are not provided with washing facilities that are adequate for the provision of beauty treatment unless those facilities include wash basins fitted with common spouts for the supply of hot and cold running water, and
 - (b) shelves, fittings and furniture are unsuitable for the provision of beauty treatment unless they are constructed of, or covered with, material that is durable, smooth, impervious to moisture and capable of being easily cleaned.

